


## 0.5U UTP/STP UNLOADED PATCH PANEL-CMX0.5xxx



Browse on Mobile

 [Browse on Web](#)

NEXCONEC<sup>®</sup> 0.5U 24 ports unloaded keystone patch panel is the special designed patch panel for use in high density network deployment, allows flexibility for the users during installations. It gives you the benefits of only using ports required by installing the desired number of jacks into the frame.

With the silkscreen printed port identification number which help the end user to recognize the ports while/after installation in the rack. When mounted with NEXCONEC unshielded /shielded keystone jacks for Cat 5E, Cat 6 and Cat 6A, your completed panel will conform to **ANSI/TIA/EIA 568A-B.2.2001**, **ISO/IEC11801:2002** and **EN50173-2** standards.

This unloaded keystone jack patch panel comes with cable ties, cage nuts and rear cable management bar as standard.

### FEATURES

- ✓ 0.5U design
- ✓ Compatible with all NEXCONEC UTP and STP keystone jacks
- ✓ 19" rack mountable
- ✓ Support up to 24port in 0.5U height
- ✓ Supplied with rear cable managers and fixings

### APPLICATIONS

- ✓ Connection between wall outlets or equipment's
- ✓ Compatible with all categories of unshielded and shielded keystone jacks

## SPECIFICATIONS

Parameters	Value
U Size	0.5U (22.3mm)
Depth	99mm
Net Weight	0.3KG
Frame Material	Cold-rolled steel
Material Thickness	1.6mm
Operating Temperature	-10°C / +60°C
Compliance	ANSI/TIA-568-C.2, ISO 11801, IEC 60603-7
RoHS	Compliant
Warranty	12 Months
Width	482.6mm
Packed Weight	0.5KG
Color	Black, RAL 9004 (for UTP) Metallic color (for STP)

## ORDER INFORMATION

Product	Part Number	Product Description
	<b>CMX0.5UUN</b>	NEXCONEC 0.5U 24port UTP KJ Patch Panel, Unloaded
	<b>CMX0.5SUN</b>	NEXCONEC 0.5U 24port FTP Shielded KJ Patch Panel, Unloaded

TECHNICAL DRAWING

