

1U 12 PORTS SC DX/LC QD SLIDING PATCH PANEL - SPP12D







NEXCONEC® sliding patch panel accepts 12 adapters SC Duplex or LC Quad within 1U space. The panel can be preloaded completely with the required adapters or pre-loaded with pigtails and splice accessories. The tray is locked by 2 plastic latches and lowers to a 45deg angle when fully extended. Installation and labelling are simple and easy.

FEATURES

- ✓ Recessed panel bracket mounting
- ✓ Up to 48FO in 1U space
- ✓ Fits standard 19" rack
- √ 4 Rear Cable entries

APPLICATIONS

- ✓ Enterprise network & Datacenter
- ✓ Indoor application
- ✓ Accepts Indoor and Outdoor Pre-terminated cables and conventional Splicing



SPECIFICATIONS

Mounting Type	Rack 19"
Height Unit	1U
Material	Cold rolled steel
Housing Color	Black
Application	Indoor IP20
Lockable	No
Dimensions (W x D x H in MM)	482 x 205 x 44.4
Net Weight	2.5 Kg

DESIGN-HARDWARE

Opening Type	Sliding Tray	
Access Type	Front access	
Front Cable Management	Optional	
Cable Entry Direction	Rear	
Rear Cable Management	4 Cable Entries (OD: 2x PG13.5 and 2x PG16 mm)	
Slot Type	SC Duplex Footprint	
Number of Slots	12	
Fiber Capacity	24 with SC, 48 with LC	

ORDER INFORMATION

Product	Part Number	Product Description
	SPP12D	1U 12 Ports SC Duplex Sliding Patch Panel Unloaded



CUSTOM PANEL KIT CONFIGURATOR

SPP12D 1 2 3 4

SPP12D	1	Adapter Type	2	Fiber Count	3	Adapter Color	4	Pigtails
	S1	SC	12	12FO	L	Blue	-	No Pigtails / Leave blank
	S2	SC/APC	24	24FO	N	Green	A1	SM OS2 G657A1
	L1	LC	48	48FO	Е	Beige	01	MM OM1
	L2	LC/APC			Q	Aqua	03	MM OM3
					V	Erika Violet	04	MM OM4

- Panels KIT include Splice Kit (Splice Tray FSP01, Spool FSP02 and Cable Gland)
- Pigtails Tight Buffer Rainbow colored per default. Add E after pigtails for Easy strip, Example A1E
- Ask sales for other products and configuration not shown. sales@nexconec.com

