

## LARGE FIBER TRANSITION BREAKOUT UNIT - TRBR03



Browse on Mobile

 [Browse on Web](#)

NEXCONEC® Large Fiber Transition Breakout Box solution is designed for enhanced cable management that helps to organize the incoming cable into separate conduits which will connect to the NGX or LGX splice modules or any other splicing unit. The breakout box is designed to support up to **576FO** (Up to 24 mini flex tubes of 5mm).

### FEATURES

- ✓ Robust and reliable metal breakout box enclosure with removable cover
- ✓ Accepts up to 4 loose tube cables of 144FO
- ✓ Up to 24 Mini Flex Tubes of 5mm
- ✓ 2x Strength member retainer included
- ✓ Quick and easy installation


### APPLICATIONS

- ✓ Enterprise Network & Datacenter
- ✓ Indoor applications

## SPECIFICATIONS

Parameters	Value
Material	Cold Rolled Steel
Housing Color	Black 9004
Application	Indoor IP20
Dimensions (W x D x H)	70 x 170 x 49.20 mm
Net Weight	0.4 Kg
Number of Tubes	Up to 24 with 5mm Mini Flex Tubes
Fiber Capacity	Up to 576FO with 24FO per tube
Fixation	Zero U, with Screws
Accessories	2x Cable Strength Member Retainer, 2x Metal Cable Ties

## ORDER INFORMATION

Product	Part Number	Product Description
	<b>TRBR03</b>	Large Fiber Transition Breakout Unit (Up to 24x tubes of 5mm)

TECHNICAL DRAWING

